# Valuing employee options

M. R. Grasselli

SIAM, Detroit October 24, 2005

## 1. Introduction

We consider an employee who has been awarded a compensation package consisting of A identical call options on the company's stock with the following features:

- strike price K, maturity date T and vesting period  $T_v < T$ ;
- options are non-transferible;
- hedge using the underlying stock  $Y_t$  is not allowed;
- hedge using a correlated asset  $S_t$  is allowed.

# 2. Accounting reccomendations

- The Financial Accounting Standard Board instructed in 1972 (Opinion 25) that stock options should be accounted according to their intrinsic value, that is  $(Y_t K)^+$  on the date their are granted.
- In 1995, the FASB 123 recommended using a fair value approach instead: estimate the expected life of the option and insert this into either Black–Scholes or a Cox–Rubenstein-Ross tree. It still accepted Opinion 25 as a valid method.
- In 2004, it revised FASB 123, eliminating the possibility of using intrinsic value methods.

### 3. Previous literature

- Detemple and Sudaresan (1999) and Hall and Murphy (2002) propose to use utility methods to deal with the market incompleteness created by trading and hedging restrictions, but without using a correlated asset.
- Musiela and Zariphopoulou (2004) developed a multiperiod model to price European style contracts based on a nontraded underlying asset in the presence of a correlated traded asset using indifference pricing techniques.
- Henderson (2005) applied indifference pricing to value a single American call options on a non-traded asset.

# Rogers and Scheinkman (2003) and Jain and Subramanian (2004) investigate the effect of partial exercise, but with no correlated asset.

• Hull and White (2004) use a binomial model with no correlated asset, no partial exercise and no risk preferences. The incompleteness is accounted for by a parameter *M* - the *effective stock-to-strike* exercise threshold. 4. The one-period model

Consider a one-period market model

$$(S_T, Y_T) = \begin{cases} (uS_0, hY_0) & \text{with probability } p_1, \\ (uS_0, \ell Y_0) & \text{with probability } p_2, \\ (dS_0, hY_0) & \text{with probability } p_3, \\ (dS_0, \ell Y_0) & \text{with probability } p_4, \end{cases}$$
(1)

where 0 < d < 1 < u and  $0 < \ell < 1 < h$ , for positive initial values  $S_0, Y_0$  and historical probabilities  $p_1, p_2, p_3, p_4$ 

Let  $C_T = C(Y_T)$  be a *T*-claim and consider a utility function  $U(x) = -e^{-\gamma x}$ . An investor who *buys* this claim for a price  $\pi$  will then try to solve the optimal portfolio problem

$$u^{C}(x-\pi) = \sup_{H} E[U(X_{T}+C_{T})].$$
 (2)

The indifference price for this claim is defined to be a solution to the equation

$$u^0(x) = u^C(x - \pi),$$

where  $u^0$  is defined by (2) for the degenerate case  $C \equiv 0$ .

An explicit calculation then leads to

$$\pi = g(C_h, C_\ell) \tag{3}$$

where, for fixed parameters  $(u, d, p_1, p_2, p_3, p_4)$  the function g:  $\mathbb{R} \times \mathbb{R} \to \mathbb{R}$  is given by

$$g(x_1, x_2) = \frac{q}{\gamma} \log \left( \frac{p_1 + p_2}{p_1 e^{-\gamma x_1} + p_2 e^{-\gamma x_2}} \right) + \frac{1 - q}{\gamma} \log \left( \frac{p_3 + p_4}{p_3 e^{-\gamma x_1} + p_4 e^{-\gamma x_2}} \right)$$
 with

$$q = \frac{1-d}{u-d}.$$

Now suppose C is an American claim. It is clear that early exercise will occur whenever

# $C(Y_0) \geq \pi,$


where  $\pi^B$  is the (European) indifference price. For example, an American call option with strike price K will be exercised if  $Y_0$  exceeds the solution to

$$(Y^* - K)^+ = g((hY_0 - K)^+, (\ell Y_0 - K)^+)$$

#### 5. Multiple claims

As a result of risk aversion, the early exercise threshold for an American call option obtained above is different (and higher) than the exercise threshold for a contract consisting of A units of identical Americal calls. Explicitly, it is the solution to

$$A(Y^* - K)^+ = g(A(hY_0 - K)^+, A(\ell Y_0 - K)^+)$$
(4)




If partial exercise is allowed, then the optimal number of options to be exercised is the solution  $a^*$  to

$$\max_{a} \left[ a(Y_0 - K)^+ + \pi^{(A-a)B} \right].$$
 (5)

The value of A units of the option is therefore

$$C_0^{(A)} = a_0(Y_0 - K)^+ + \pi^{(A - a_0)}$$



### 6. Two-period model: inter-temporal exercise

Let us label the nodes in of a tow-period binomial tree by 0 at time  $t_0 = 0$ ,  $(h, \ell)$  at time  $t_1$  and  $(hh, h\ell, \ell\ell)$  at time  $t_2 = T$ .

The number of option that the holder of A calls at the node h should immediately exercise is given by

$$a_h = \arg \max_{0 \le a \le A} \left[ a(hY_0 - K)^+ + \pi_h^{(A-a)} \right],$$
 (6)

where  $\pi_h^{(A-a)}$  denotes the indifference of an European claim to starting at the node h and maturing at time T.

The pay-offs for such claim are with

$$C_{hh}^{(A-a)} = (A-a)(hhY_0 - K)^+$$

with probability  $(p_1 + p_3)$  and

$$C_{h\ell}^{(A-a)} = (A-a)(h\ell Y_0 - K)^+$$

with probability  $(p_2 + p_4)$ , where we have used hh and  $h\ell$  to denoted, respectively, the nodes where the non-traded asset has values  $hhY_0$  and  $h\ell Y_0$ . Its indifference price is explicitly given by

$$\pi_h^{(A-a)} = g(C_{hh}^{(A-a)}, C_{h\ell}^{(A-a)})$$
(7)

In the same vein, the optimal number of options to be exercised at the node  $\ell$ , where the non-trade asset has value  $\ell Y_0$ , is

$$a_{\ell} = \arg \max_{0 \le a \le A} \left[ a(\ell Y_0 - K)^+ + \pi_{\ell}^{(A-a)} \right],$$
 (8)

where

$$\pi_{\ell}^{(A-a)} = g(C_{h\ell}^{(A-a)}, C_{\ell\ell}^{(A-a)})$$
(9)

Therefore, at the intermediate time  $t_1$ , the total value of A options at the node h is

$$C_h^{(A)} := \left[ a_h (hY_0 - K)^+ + \pi_{h1}^{(A - a_h)} \right], \qquad (10)$$

while the total value of A options at the node  $\ell$  is

$$C_{\ell}^{(A)} := \frac{1}{A} \left[ a_{\ell} (\ell Y_0 - K)^+ + \pi_{\ell 1}^{(A - a_{\ell})} \right].$$
 (11)

Finally, starting with A units of the option, the number of options that should be exercised at the initial time  $t_0$  is

$$a_0 = \arg \max_{0 \le a \le A} \left[ a(Y_0 - K)^+ + \pi_0^{(A-a)} \right], \tag{12}$$

where

$$\pi_h^{(A-a)} = g(C_h^{(A-a)}, C_\ell^{(A-a)})$$
(13)

Therefore the value at time zero of A units of an American call option on the non-traded asset is

$$C_0^{(A)} := \left[ a_0 (Y_0 - K)^+ + \pi_0^{(A - a_0)} \right].$$
 (14)

### 6. The multi-period model: inter-temporal exercise

We first have to choose discrete time parameters  $(u, d, h, \ell, p_1, p_2, p_3, p_4)$ that match the distributional properties of the continuos time diffusion

$$dS = (\mu - r)Sdt + \sigma SdW$$
(15)

$$dY = (a - r - \delta)Ydt + bY(\rho dW + \sqrt{1 - \rho^2})dZ, \quad (16)$$

These are given by the system

$$u = e^{\sigma\sqrt{\Delta t}}, \qquad h = e^{b\sqrt{\Delta t}}$$
$$d = e^{-\sigma\sqrt{\Delta t}}, \qquad \ell = e^{-b\sqrt{\Delta t}}$$
$$p_1 + p_2 = \frac{e^{(\mu - r)\Delta t} - d}{u - d}$$
$$p_1 + p_3 = \frac{e^{(a - r - \delta)\Delta t} - \ell}{h - \ell}$$
$$\rho b\sigma\Delta t = (u - d)(h - \ell)[p_1 p_4 - p_2 p_3]$$
$$1 = p_1 + p_2 + p_3 + p_4$$

The valuation algorithm is then:

- Begin at the final period.
- At each node of the tree, compute the (European) indifference prices for different values of (A a).
- Determining the maximum of (5).
- Use this as the value for the entire position at that node.
- Iterate backwards.

#### 7.Numerical Results


We first determine the optimal exercise surface for the holder of A = 10 options with strike price K = 1 and

$$\mu = 0.12, \quad \sigma = 0.2, \quad S_0 = 1 \tag{17}$$

$$a = 0.15 \quad b = 0.3, \quad Y_0 = 1$$
 (18)

$$r = 0.06 \quad T = 5, \qquad N = 500 \tag{19}$$

For our base case,  $\delta = 0.075$ ,  $\gamma = 0.125$  and  $\rho = -0.5$ . We then modify it by having  $\delta = 0$ ,  $\gamma = 10$  and  $\rho = 0.95$ .



Next we consider the impact that time-to-maturity, risk aversion, correlation and volatility have on the option price. When not indicated in the graphs, the parameter values are

$$\mu = 0.09, \quad \sigma = 0.4, \quad S_0 = 1$$
 (20)

$$a = 0.08 \quad b = 0.45, \quad Y_0 = 1$$
 (21)

$$r = 0.06 \quad \delta = 0, \qquad N = 100$$
 (22)

